

# MJ BARINA SPARK

## MJ Barina Spark Service/Warranty Booklet

This supplement provides warranty information and service schedule including coupons for MJ Barina Spark series models.

This supplement should be kept, together with the Owner's Handbook, in the glovebox of your vehicle.



**Vehicle identification certificate**

---

Owner's name

---

Owner's address

---

Town

State

Postcode

---

Vehicle Identification Number (17 character ISOVIN)

|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

Model name

---

Tyre size fitted

Wheel size fitted

---

Registration number

Engine number

---

Odometer reading

---

Date of purchase

---

Selling retailer's stamp and signature

---

|                               |                      |    |                  |
|-------------------------------|----------------------|----|------------------|
| <b>Capped Price Servicing</b> | Circle as applicable |    | CPS Program Code |
|                               | Yes                  | No |                  |

GM Holden Ltd, ABN 84 006 893 232 (hereinafter Holden)

**Change of name, address or ownership**

In the event of a Safety Recall, or for various reasons, Holden may need to contact you as the owner of this vehicle.

If you have recently changed your address, or name, or purchased this vehicle second-hand, please help us to help you by taking a few minutes to fill in and mail the forms at the beginning of this handbook.

For information about GM Holden's privacy policy or to update owner details online, please visit Holden's website at [www.holden.com.au](http://www.holden.com.au)

Printed in Australia

**Part No. 92291297**

April 2013 (MY13 MJ Barina Spark. Print 3)

© 2013 GM Holden Ltd

Reproduction in whole or part is prohibited  
without written approval from GM Holden Ltd,  
ABN 84 006 893 232

# Petrol engines

Page

## IMPORTANT INFORMATION

Automatic transmission models feature an Engine Oil Life System (EOLS) which monitors vehicle usage and driving patterns to maximise the service life of the engine oil – refer to Service information in the Owner's Handbook for further details.

- Change engine oil and filter within 1,000 km when **Change Engine Oil Soon** or **CodE 82** is displayed in the Driver Information Centre (DIC).
- The vehicle must have a maintenance service (incl. oil and filter) at least once every 9 months even if **Change Engine Oil Soon** or **CodE 82** message has not displayed on the DIC.

### Note

- If **Change Engine Oil Soon** or **CodE 82** is displayed within 3,000 km of the next scheduled maintenance interval, the scheduled service should be performed.

|                                      |    |
|--------------------------------------|----|
| Change of address or ownership forms |    |
| Vehicle warranty information .....   | 1  |
| Servicing .....                      | 8  |
| Maintenance schedule.....            | 12 |
| Service charges.....                 | 18 |
| Additional service requirements..... | 19 |
| Service coupons .....                | 25 |

\* The asterisk signifies equipment options not in all vehicles; model variants, engine options, optional equipment and Genuine Holden Accessories (and Parts).



## CHANGE OF ADDRESS OR OWNERSHIP

Please fill in the form below if you have changed your name, address, bought the vehicle second-hand, or have become the new driver.

Holden requires these details in order to contact the operator in the event of a safety recall and to keep the Roadside Assistance details up to date. For information about Holden's privacy policy or to update owner details online, please visit Holden's website at [www.holden.com.au](http://www.holden.com.au).

Please mail to the address on the back of this page.

Please tick the appropriate box

☐ Original owner☐ Subsequent owner

Please tell us where you purchased your Holden

☐ Government auction☐ Private sale☐ Other☐ Dealership (please specify)

Title  
(Mr, Mrs, Miss, Ms, etc.)

First name in full or initials

\_\_\_\_\_

\_\_\_\_\_

Surname or name of company/institution/government department

\_\_\_\_\_

Address

Street/box

City/town

A horizontal number line with 15 tick marks, labeled from 0 to 14. The line is used for plotting the data from the frequency table.

State

Postcode

1st contact phone no.

\_\_\_\_\_

2nd contact phone no.

\_\_\_\_\_

Email address

---

Vehicle registration no.

\_\_\_\_\_

ISOVIN no.

**Place in an envelope and mail to:**

The Manager – Warranty Administration,  
Service Department,  
GM Holden Ltd.  
Box 548, G.P.O.  
Melbourne,  
Victoria 3001,  
Australia.

## CHANGE OF ADDRESS OR OWNERSHIP

Please fill in the form below if you have changed your name, address, bought the vehicle second-hand, or have become the new driver.

Holden requires these details in order to contact the operator in the event of a safety recall and to keep the Roadside Assistance details up to date. For information about Holden's privacy policy or to update owner details online, please visit Holden's website at [www.holden.com.au](http://www.holden.com.au).

Please mail to the address on the back of this page.

Please tick the appropriate box

☐ Original owner☐ Subsequent owner

Please tell us where you purchased your Holden

☐ Government auction☐ Private sale☐ Other☐ Dealership (please specify)

Title  
(Mr, Mrs, Miss, Ms, etc.)

First name in full or initials

\_\_\_\_\_

\_\_\_\_\_

Surname or name of company/institution/government department

Address

Street/box

City/town

State

Postcode

1st contact phone no.

\_\_\_\_\_

2nd contact phone no.

\_\_\_\_\_

Email address

---

Vehicle registration no.

\_\_\_\_\_

ISOVIN no.

\_\_\_\_\_

**Place in an envelope and mail to:**

The Manager – Warranty Administration,  
Service Department,  
GM Holden Ltd.  
Box 548, G.P.O.  
Melbourne,  
Victoria 3001,  
Australia.

Please fill in the form below if you have changed your name, address, bought the vehicle second-hand, or have become the new driver.

Holden requires these details in order to contact the operator in the event of a safety recall and to keep the Roadside Assistance details up to date. For information about Holden's privacy policy or to update owner details online, please visit Holden's website at [www.holden.com.au](http://www.holden.com.au).

Please mail to the address on the back of this page.

Please tick the appropriate box

☐ Original owner

☐ Subsequent owner

Please tell us where you purchased your Holden

☐ Government auction☐ Private sale☐ Other☐ Dealership (please specify)

Title  
(Mr, Mrs, Miss, Ms, etc.)

\_\_\_\_\_

First name in full or initials

\_\_\_\_\_

Surname or name of company/institution/government department

\_\_\_\_\_

Address

Street/box

City/town

State

\_\_\_\_\_

Postcode

\_\_\_\_\_

1st contact phone no.

2nd contact phone no.

\_\_\_\_\_

Email address

---

Vehicle registration no.

\_\_\_\_\_


ISOVIN no.

\_\_\_\_\_

**Place in an envelope and mail to:**

The Manager – Warranty Administration,  
Service Department,  
GM Holden Ltd.  
Box 548, G.P.O.  
Melbourne,  
Victoria 3001,  
Australia.

## **NEW VEHICLE VOLUNTARY WARRANTY CERTIFICATE**



### **New Vehicle Voluntary Warranty Application**

This Voluntary Warranty is given by GM Holden Ltd., ABN 84 006 893 232, ('Holden') 191 Salmon St, Port Melbourne Victoria 3207. Holden Customer Assistance: 1800 033 349. The Voluntary Warranty applies to the vehicle identified on the inside front cover of this service booklet. It is provided to the original and subsequent owners/operators driving the vehicle within Australia during the Voluntary Warranty Period.

The benefits conferred by this Voluntary Warranty are in addition to other rights and remedies available to you under consumer protection laws (including those under the *Competition and Consumer Act 2010*), which cannot be excluded or limited (referred to as Statutory Rights). This Voluntary Warranty in no way limits or restricts your rights or remedies under such Statutory Rights.



### **Australian vehicles**

This Voluntary Warranty is only applicable to vehicles purchased and operated in Australia.

This Voluntary Warranty does not apply for Holden vehicles exported or operated outside Australia. Similarly, this Voluntary Warranty is not provided for Holden vehicles purchased overseas and imported into Australia.



### **Voluntary Warranty repairs covered**

Subject to your non-excludable Statutory Rights and the exclusions shown on the following page, this Voluntary Warranty covers the correction, of any manufacturing defect to materials or Holden workmanship and advised to a Holden Dealer or Authorised Service Outlet, by repair or at Holden's option by replacement.



### **Voluntary Warranty period**


The coverage under this Voluntary Warranty commences from the date of first registration (or in the case of a demonstrator vehicle the date when the vehicle was first placed into service by the Dealer). This coverage expires at the end of the period of 3 years after the commencement date or after the vehicle has travelled 100,000 kilometres, whichever occurs first.

**NEW VEHICLE VOLUNTARY WARRANTY CERTIFICATE cont.****No charge**


Warranty work performed under this Voluntary Warranty (including parts and labour) will be carried out at no cost to the vehicle owner. However, this work should not be confused with servicing specified in the Maintenance schedule in this service booklet for which a charge is payable.

**Statutory Rights**

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

**NEW VEHICLE VOLUNTARY WARRANTY CERTIFICATE cont.****VOLUNTARY WARRANTY EXCLUSIONS****Damage**

Your Voluntary Warranty does not extend to the following damage: damage caused by an accident, fire, theft or moving objects striking the vehicle (including inside the vehicle); damage as a result of towing; damage caused by industrial fallout, chemicals or sealants; damage caused by atmospheric fallout or flood, hail, salt, etc.

**Maintenance items**


Your Voluntary Warranty does not extend to services such as brake adjustment, brake replacement, replacement of filters, wiper rubbers etc., which are required as part of normal vehicle maintenance (refer to the service matrix in this booklet).

**Tyres**

The tyres fitted to your vehicle are not covered by this Voluntary Warranty. However, they may be covered by the tyre manufacturer or under your non-excludable Statutory Rights.

**Batteries and globes**

Batteries and globes are warranted for 12 months under this Voluntary Warranty.

**Misuse**

This Voluntary Warranty does not cover damage caused by:

- (a) misuse or abuse of the vehicle such as by racing, rallying, overloading, etc., or neglect,
- (b) operation of the vehicle after the defect is known,
- (c) failure to carry out proper maintenance services (refer to the service matrix in this booklet),
- (d) use of incorrect types and grades of fuel, oil or lubricants,
- (e) alteration or modifications of the vehicle by anyone not authorised by Holden,
- (f) fitting of parts or accessories not recommended by Holden,
- (g) any work carried out on the vehicle by anyone except an Authorised Holden Dealer or Authorised Service Outlet.

## **VOLUNTARY WARRANTY QUESTIONS AND ANSWERS**

This section is designed to assist you to understand the Holden Voluntary Warranty provided with your new vehicle which is in addition to your Statutory Rights which cannot be excluded, limited or restricted by this Voluntary Warranty.

The following are some of the most frequently asked questions for which detailed answers are provided.

**Q 1. How do I go about obtaining Holden Voluntary Warranty service?**

It is the responsibility of the Selling Dealer to provide Holden Voluntary Warranty service, therefore, you should take your vehicle to the Selling Dealer whenever Holden Voluntary Warranty service is needed. However, if this is not possible, you may go to any other Authorised Holden Dealer. The details recorded inside the front cover of this service booklet will be required by the Dealer.

**Q 2. What should I do if my vehicle becomes unsafe or inoperative as a result of a defect which is covered by the Holden New Vehicle Voluntary Warranty?**

You should contact the nearest Authorised Holden Dealer or Holden Roadside Assistance as soon as possible, and arrange for that Dealer to carry out the required Holden Voluntary Warranty Service.

**Q 3. What should I do if, in an emergency, Holden Voluntary Warranty Service is required and an Authorised Holden Dealer is not available to provide such service at the time?**

Subject to your Statutory Rights, if, in an emergency, a repair, replacement or adjustment (covered by the Holden New Vehicle Voluntary Warranty) is required to enable your vehicle to be operated safely and it is not practical for you to go to an Authorised Holden Dealer, the service (to the extent that it is necessary to enable your vehicle to be operated safely) may be performed by any other qualified mechanic or repairer. A claim for the reasonable cost may be made under the Holden Warranty through the Authorised Holden Dealer who would normally provide you with Holden Voluntary Warranty service. You must also take your vehicle to the Authorised Holden Dealer for inspection of the service and/or completion of any required Holden Voluntary Warranty service, as soon as possible.

**Note** During normal business hours, you should seek authorisation from your nearest Authorised Holden Dealer or Holden Customer Assistance Service, prior to repairs under your Voluntary Warranty being commenced.

**VOLUNTARY WARRANTY QUESTIONS AND ANSWERS cont.****Q 4. Are damage or injury, loss of time, inconvenience, commercial or other direct or indirect loss covered by the Holden Voluntary Warranty?**

No, these items are not covered under the Holden Voluntary Warranty. Holden Voluntary Warranty only covers the repair, replacement or adjustment of those parts of your vehicle which are found to be defective in materials or workmanship. No other types of claim for compensation of any kind, even if the same resulted from a consequence of a defect in materials or workmanship in your vehicle, will be recognised under the Holden New Vehicle Voluntary Warranty.

You may have rights under your non-excludable Statutory Rights to claim compensation or other remedies outside of the Holden New Vehicle Voluntary Warranty, but any claim based on those rights should be separately pursued.

**VOLUNTARY WARRANTY QUESTIONS AND ANSWERS cont.****Q 5. Will I have to pay for maintenance costs during the Voluntary Warranty Period?**

Maintenance costs are not covered by the Holden New Vehicle Voluntary Warranty. The Maintenance schedules in this service booklet specify the minimum maintenance required for your vehicle operating under normal conditions.

Subject to your Statutory Rights, the Maintenance items (except where they are required as a result of defects in materials or workmanship) for which you will have to pay include:

- Engine tune-up, including spark plugs replacement.
- Replacement of all filters, engine and other belts, hoses, wiper blades and clutch linings.
- Cleaning or flushing of fuel, coolant, brake, engine, transmission, power steering etc., after 3,000 km.
- Carbon and sludge removal.
- Maintenance servicing of emission control system devices.
- Adding to (or replacing) lubricants.
- Adding to (or replacing) air conditioning refrigerant, after 3,000 km.
- Any necessary adjustments to drive belts, transmission, clutch, park brake etc.
- Wheel balancing – after 3,000 km.
- Wheel alignment.
- De-dusting or de-glazing of brake linings or pads – after 3,000 km.
- Brake pad/lining wear or damaged brake components due to brake/pad lining wear.
- Clutch lining wear or damaged clutch components due to lining wear.
- Brake disc pad or disc wear.
- Battery recharging.
- Paint, bright metal finish and trim, due to normal deterioration.
- Body panel adjustment – after 3,000 km.
- Door, or bonnet lock adjustments.
- Glass or channel adjustments – after 3,000 km.
- Body rattle, squeaks and general tightening of bolts, fasteners and fittings – after 3,000 km.
- Chipped glass or breakage.
- Torn or damaged floor mats or carpets.
- Normal wear and tear to trim components.

**VOLUNTARY WARRANTY QUESTIONS AND ANSWERS cont.****Q 6. Are my tyres covered by the Holden New Vehicle Voluntary Warranty?**

No. The tyres fitted to your vehicle may be covered by a separate voluntary warranty provided by the tyre manufacturer or under your non-excludable Statutory Rights. Any Authorised Holden Dealer will assist you by discussing any queries which you might have with respect to the tyre manufacturer's voluntary warranty, with the tyre manufacturer's representative.

**Q 7. Will I have to pay for any costs or expenses in connection with the provision of Holden Voluntary Warranty service?**

All parts and labour used in carrying out Holden Voluntary Warranty service at the premises of the servicing Holden Dealer, are free of charge. Whenever Holden Voluntary Warranty service is to be carried out by the servicing Holden Dealer it is your responsibility to deliver your vehicle to the servicing Holden Dealer's premises.

If, as a result of a defect which is covered by the Holden New Vehicle Voluntary Warranty, your vehicle cannot be driven safely and you arrange for the nearest Authorised Holden Dealer to carry out the required Holden Voluntary Warranty service, Holden will accept reasonable towing costs to move your vehicle to the nearest Holden Dealer's premises. Before employing a towing company, contact the nearest Holden Dealer or Holden Roadside Assistance Service or Holden Customer Assistance Service to obtain guidance.

**Q 8. Would my vehicle's engine benefit from fuel additives, oil additives or coolant additives not marketed by Holden?**

The use of break-in oil, tune-up compounds, friction-reducing compounds and other supplemental additives is not recommended. Your vehicle has been designed, developed and tested by the manufacturer without the use of these additives. Any negative impact or consequences due to the use of additives may affect the validity of your New Vehicle Voluntary Warranty.

Only the fluids and lubricants referred to in the owners handbook should be used.

**Unauthorised statements in relation to Holden products**

No Holden Dealer or other person is authorised or permitted to give or make any statement, assertion or undertaking in relation to the quality, performance, characteristics, descriptions or fitness for any purpose of any Holden product or in connection with the supply of any Holden product, which is at variance with any written statement, assertion or undertaking on any of these subjects given or made by Holden in its published sales literature, and Holden does not accept any responsibility for such unauthorised action.

## SERVICING



HoldenWise Capped Price Servicing now makes owning a new Holden even more affordable\*.

Within the first three years or 60,000 km (whichever occurs first) up to four standard scheduled log book services using Holden genuine parts and factory trained technicians are capped at a low price.

Most vehicles are eligible for HoldenWise Capped Price Servicing, however some exclusions do apply. For terms and conditions and vehicle eligibility on HoldenWise Capped Price Servicing please refer to [holden.com.au](http://holden.com.au) or contact your Holden Dealer.

\*HoldenWise Capped Price Servicing excludes Government, Rental and Not for Profit Fleet vehicles.

Additional service requirements are not included in HoldenWise Capped Servicing.

### **Distance/time based service intervals**

The free first inspection is due at 3 months or 3,000 km (whichever occurs first).

The first service is due at 9 months or 15,000 km (whichever occurs first). Thereafter, at every 9 months or 15,000 km since the last service (whichever occurs first).

Additional services are required under certain driving conditions, such as when towing. Refer to *Additional service requirements* further on in this booklet.

### **The free first inspection**

The 3,000 km inspection is performed free of charge by the Selling Dealer. A different Holden Dealer may perform this inspection if provided with a letter of authority or similar. The Selling Dealer may supply this authorisation upon request.

### **Determining the proper service interval**

The operating conditions of your vehicle will determine the service interval. Use the **time** interval or the odometer reading, whichever occurs first, to determine when the service is due. It is important to remember that oils and fluids in your vehicle will deteriorate over time, therefore if your vehicle has not travelled the specified service interval distance, the vehicle **must** be serviced by time interval.

Under certain operating conditions, your Holden may require additional servicing to ensure maximum safety, performance and longevity.

The additional service requirements typically include more frequent replacement of lubricating oils for example, engine and transmission fluids and the more frequent inspection of steering, suspension and brake system components. For more information please refer to *Additional service requirements* further on in this booklet.

Your Holden Dealer will be able to determine the appropriate service requirements for your vehicle according to your operating conditions.

## **SERVICING cont.**

### **Engine oil life system**

On automatic transmission models, if **Change Engine Oil Soon** or **CodE 82** appears in the Driver Information Centre (DIC), the engine oil and filter must be replaced within 1,000 km and the EOLS reset. The engine oil and filter change should be recorded on the Additional service coupon, pages 21-23.

#### **Note**

If **Change Engine Oil Soon** or **CodE 82** appears in the DIC within 3,000 km of the next scheduled maintenance interval, the scheduled service should be performed, the engine oil and filter changed, and the EOLS reset. Record on the applicable coupon stub (pages 27-53).

### **Service coupons**

Service coupons are provided at the end of this booklet. When each service is performed, the appropriate coupon is removed. This reveals the next coupon to remind you when the next service is due.

After each service, check that the service has been validated with the Dealer's stamp and signature on the coupon stub. This is important as it not only assists in the determination of voluntary warranty claims, but enhances the value of the vehicle when selling.

Service coupons are provided for each service up to the 210,000 km service. After that time, the Maintenance schedule further on in this booklet should be followed, commencing with the 15,000 km service.

### **Additional service requirements**

If you are driving your vehicle outside of the normal driving operations, you may need to conduct additional servicing. A service coupon and criteria for these additional services can be found in the additional service requirements section of this booklet.

### **Your Holden Dealer**

When it comes to service, remember that your Holden Dealer has the trained personnel and specialised equipment to correctly service your vehicle. Your Dealer invites you to return for all your service needs both during and after the Voluntary Warranty Period.

The safety, economy, emission control, performance and reliability of your vehicle cannot be assured unless regular maintenance is performed, preferably by factory-trained technicians at Holden Dealers.

**SERVICING cont.****Voluntary Warranty and service**

Subject to your non-excludable Statutory Rights, all maintenance services listed in this handbook, and replacement of service items, are the responsibility of the owner and as such are NOT considered under the provisions of the New Vehicle Voluntary Warranty to be rectified of defective material and workmanship. Items such as wheel alignment, necessary adjustments to drive belts, transmission, clutch and parking brake or any other items which may require servicing due to fair wear and tear are carried out at the owner's cost.

Damage caused by failure to have proper maintenance services carried out in accordance with Holden's specifications may void your New Car Voluntary Warranty. As a result, it is strongly recommended that such services be carried out by an authorised Holden Dealer or Authorised Service Outlet and that you read the New Vehicle Voluntary Warranty section previously in this booklet, so that you are aware of the voluntary warranty exclusions.

## NOTES

**MAINTENANCE SCHEDULE**

|                                            |   |    |    |    |    |    |    |     |
|--------------------------------------------|---|----|----|----|----|----|----|-----|
| x 1,000 km or                              | 3 | 15 | 30 | 45 | 60 | 75 | 90 | 105 |
| Cumulative months (whichever occurs first) | 3 | 9  | 9  | 9  | 9  | 9  | 9  | 9   |

**Under bonnet**

|                                                                                                                                  |                                                      |   |   |   |   |   |   |   |
|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|---|---|---|---|---|---|---|
| *Change engine oil & filter.                                                                                                     | -                                                    | X | X | X | X | X | X | X |
| Reset Engine Oil Life System (EOLS) (automatic transmission).                                                                    | -                                                    | X | X | X | X | X | X | X |
| Check fluid levels: brake, power steering (hydraulic only), clutch & washer.                                                     | X                                                    | X | X | X | X | X | X | X |
| Check coolant % with tester & check level (pressure test if level is low).                                                       |                                                      |   |   |   |   |   |   |   |
| Drive belts – inspect, adjust or replace if necessary.                                                                           | -                                                    | X | X | X | X | X | X | X |
| Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.                  | X                                                    | X | X | X | X | X | X | X |
| Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.              | X                                                    | X | X | X | X | X | X | X |
| Drain & refill cooling system with recommended inhibitor & clean fresh water. Clean the outside of the radiator & A/C condenser. | Change required every 63 months (regardless of kms). |   |   |   |   |   |   |   |
| Inspect air filter element.                                                                                                      | -                                                    | X | X | - | X | X | - | X |
| *Replace air filter.                                                                                                             | -                                                    | - | - | X | - |   | X | - |
| Check PCV system.                                                                                                                | -                                                    | - | X | - | X | - | X | - |
| Replace spark plugs.                                                                                                             | -                                                    | - | X | - | X | - | X | - |
| Check/adjust valve clearance (manual transmission).                                                                              | -                                                    | - | - | - | - | - | - | - |

Maintenance schedule continued next page.

\*Items requiring additional servicing under some driving conditions.  
Refer to *Additional service requirements* further on in this booklet.

**MAINTENANCE SCHEDULE cont.**

| x 1,000 km or                                                                                                                    | 120                                                  | 135 | 150 | 165 | 180 | 195 | 210 |
|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|-----|-----|-----|-----|-----|-----|
| Cumulative months (whichever occurs first)                                                                                       | 9                                                    | 9   | 9   | 9   | 9   | 9   | 9   |
| <b>Under bonnet</b>                                                                                                              |                                                      |     |     |     |     |     |     |
| *Change engine oil & filter.                                                                                                     | X                                                    | X   | X   | X   | X   | X   | X   |
| Reset Engine Oil Life System (EOLS) (automatic transmission).                                                                    | X                                                    | X   | X   | X   | X   | X   | X   |
| Check fluid levels: brake, power steering (hydraulic only), clutch & washer.                                                     | X                                                    | X   | X   | X   | X   | X   | X   |
| Check coolant % with tester & check level (pressure test if level is low).                                                       |                                                      |     |     |     |     |     |     |
| Drive belts – inspect, adjust or replace if necessary.                                                                           | X                                                    | X   | X   | X   | X   | X   | X   |
| Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses & clamps.                  | X                                                    | X   | X   | X   | X   | X   | X   |
| Check battery terminals for corrosion, (clean as required). Check battery terminals & hold down clamp for security.              | X                                                    | X   | X   | X   | X   | X   | X   |
| Drain & refill cooling system with recommended inhibitor & clean fresh water. Clean the outside of the radiator & A/C condenser. | Change required every 63 months (regardless of kms). |     |     |     |     |     |     |
| Inspect air filter element.                                                                                                      | X                                                    | -   | X   | X   | -   | X   | X   |
| *Replace air filter.                                                                                                             | -                                                    | X   | -   | -   | X   | -   | -   |
| Check PCV system.                                                                                                                | X                                                    | -   | X   | -   | X   | -   | X   |
| Replace spark plugs.                                                                                                             | X                                                    | -   | X   | -   | X   | -   | X   |
| Check/adjust valve clearance (manual transmission).                                                                              | -                                                    | -   | X   | -   | -   | -   | -   |

\*Items requiring additional servicing under some driving conditions.  
Refer to *Additional service requirements* further on in this booklet.

**MAINTENANCE SCHEDULE cont.**

|                                            |   |    |    |    |    |    |    |     |
|--------------------------------------------|---|----|----|----|----|----|----|-----|
| x 1,000 km or                              | 3 | 15 | 30 | 45 | 60 | 75 | 90 | 105 |
| Cumulative months (whichever occurs first) | 3 | 9  | 9  | 9  | 9  | 9  | 9  | 9   |

**Under vehicle**

|                                                                                                                                                                                                                                              |                                                                            |   |   |   |   |   |   |   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|---|---|---|---|---|---|---|
| Change manual transmission fluid.                                                                                                                                                                                                            | -                                                                          | - | - | - | - | - | - | - |
| *Change automatic transmission fluid.                                                                                                                                                                                                        | -                                                                          | - | - | - | - | - | - | - |
| Check engine & transmission for leaks.                                                                                                                                                                                                       | X                                                                          | X | X | X | X | X | X | X |
| Inspect front disc pads for wear & discs for surface condition.                                                                                                                                                                              | -                                                                          | X | X | X | X | X | X | X |
| Inspect rear brake linings & drums for surface condition.                                                                                                                                                                                    | -                                                                          | X | X | X | X | X | X | X |
| *Inspect tyres for irregular wear or damage. (1) Rotate wheels (if required). Check air pressures & for wheel damage.                                                                                                                        | X                                                                          | X | X | X | X | X | X | X |
| Check wheel nut torque.                                                                                                                                                                                                                      | X                                                                          | X | X | X | X | X | X | X |
| *Drain, refill & bleed brake & clutch system. Check brake performance during road test.                                                                                                                                                      | Change every 27 months (regardless of km) under normal driving conditions. |   |   |   |   |   |   |   |
| Check all brake, fuel lines & hoses for condition, attachment & routing.                                                                                                                                                                     | X                                                                          | X | X | X | X | X | X | X |
| *Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers. | X                                                                          | X | X | X | X | X | X | X |
| Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks.                                                                            | X                                                                          | X | X | X | X | X | X | X |
| Inspect all constant velocity joints for damage or torn boots.                                                                                                                                                                               | X                                                                          | X | X | X | X | X | X | X |

Maintenance schedule continued next page.

(1) Rotation of wheels not required at 3,000 km inspection.

\*Items requiring additional servicing under some driving conditions. Refer to *Additional service requirements* further on in this booklet.

**MAINTENANCE SCHEDULE cont.**

| x 1,000 km or                                                                                                                                                     | 120                                                                        | 135 | 150 | 165 | 180 | 195 | 210 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|-----|-----|-----|-----|-----|-----|
| Cumulative months (whichever occurs first)                                                                                                                        | 9                                                                          | 9   | 9   | 9   | 9   | 9   | 9   |
| <b>Under vehicle</b>                                                                                                                                              |                                                                            |     |     |     |     |     |     |
| Change manual transmission fluid.                                                                                                                                 | -                                                                          | -   | X   | -   | -   | -   | -   |
| *Change automatic transmission fluid.                                                                                                                             | -                                                                          | -   | X   | -   | -   | -   | -   |
| Check engine & transmission for leaks.                                                                                                                            | X                                                                          | X   | X   | X   | X   | X   | X   |
| Inspect front disc pads for wear & discs for surface condition.                                                                                                   | X                                                                          | X   | X   | X   | X   | X   | X   |
| Inspect rear brake linings & drums for surface condition.                                                                                                         | X                                                                          | X   | X   | X   | X   | X   | X   |
| *Inspect tyres for irregular wear or damage. (1) Rotate wheels (if required). Check air pressures & for wheel damage.                                             | X                                                                          | X   | X   | X   | X   | X   | X   |
| Check wheel nut torque.                                                                                                                                           | X                                                                          | X   | X   | X   | X   | X   | X   |
| *Drain, refill & bleed brake & clutch system. Check brake performance during road test.                                                                           | Change every 27 months (regardless of km) under normal driving conditions. |     |     |     |     |     |     |
| Check all brake, fuel lines & hoses for condition, attachment & routing.                                                                                          | X                                                                          | X   | X   | X   | X   | X   | X   |
| *Inspect front & rear suspension & steering for damaged, loose or missing parts, wear or lack of lubrication.                                                     |                                                                            |     |     |     |     |     |     |
| Inspect power steering lines & hoses for condition, attachment, routing & leaks. Check condition of all rubber boots & covers.                                    | X                                                                          | X   | X   | X   | X   | X   | X   |
| Inspect exhaust & adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle & check for exhaust leaks. | X                                                                          | X   | X   | X   | X   | X   | X   |
| Inspect all constant velocity joints for damage or torn boots.                                                                                                    | X                                                                          | X   | X   | X   | X   | X   | X   |

(1) Rotation of wheels not required at 3,000 km inspection.

\*Items requiring additional servicing under some driving conditions. Refer to *Additional service requirements* further on in this booklet.

**MAINTENANCE SCHEDULE cont.**

|                                            |   |    |    |    |    |    |    |     |
|--------------------------------------------|---|----|----|----|----|----|----|-----|
| x 1,000 km or                              | 3 | 15 | 30 | 45 | 60 | 75 | 90 | 105 |
| Cumulative months (whichever occurs first) | 3 | 9  | 9  | 9  | 9  | 9  | 9  | 9   |

**Vehicle interior and boot**

|                                                                                                  |   |   |   |   |   |   |   |   |
|--------------------------------------------------------------------------------------------------|---|---|---|---|---|---|---|---|
| *Check park brake operation & adjust as required.                                                | X | X | X | X | X | X | X | X |
| Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation. | X | X | X | X | X | X | X | X |
| *Inspect pollen filter.                                                                          | - | - | - | X | - | - | X | - |
| Check the expiry date of the tyre sealant canister* & replace if required.                       | - | X | X | X | X | X | X | X |

**Vehicle exterior**

|                                                      |   |   |   |   |   |   |   |   |
|------------------------------------------------------|---|---|---|---|---|---|---|---|
| Check operation of all exterior lights.              | X | X | X | X | X | X | X | X |
| Inspect wiper blades for wear or cracking.           | X | X | X | X | X | X | X | X |
| Check transmitter range of remote control.           | X | X | X | X | X | X | X | X |
| Lubricate bonnet catch, hinges & all lock cylinders. | X | X | X | X | X | X | X | X |

**Road test**

|                                                                    |   |   |   |   |   |   |   |   |
|--------------------------------------------------------------------|---|---|---|---|---|---|---|---|
| Check braking, steering, engine response & transmission operation. |   |   |   |   |   |   |   |   |
| Check air conditioner performance.                                 | X | X | X | X | X | X | X | X |
| Check for any outstanding safety recalls.                          |   |   |   |   |   |   |   |   |

Maintenance schedule continued next page.

\*Items requiring additional servicing under some driving conditions.  
Refer to *Additional service requirements* further on in this booklet.

**MAINTENANCE SCHEDULE cont.**

| x 1,000 km or<br>Cumulative months (whichever occurs first)                                                                                           | 120 | 135 | 150 | 165 | 180 | 195 | 210 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|-----|-----|-----|-----|
| <b>Vehicle interior and boot</b>                                                                                                                      |     |     |     |     |     |     |     |
| *Check park brake operation & adjust as required.                                                                                                     | X   | X   | X   | X   | X   | X   | X   |
| Seat belt inspection. Check webbing condition, buckle operation & retractor mechanism operation.                                                      | X   | X   | X   | X   | X   | X   | X   |
| *Inspect pollen filter.                                                                                                                               | -   | X   | -   | -   | X   | -   | -   |
| Check the expiry date of the tyre sealant canister* & replace if required.                                                                            | X   | X   | X   | X   | X   | X   | X   |
| <b>Vehicle exterior</b>                                                                                                                               |     |     |     |     |     |     |     |
| Check operation of all exterior lights.                                                                                                               | X   | X   | X   | X   | X   | X   | X   |
| Inspect wiper blades for wear or cracking.                                                                                                            | X   | X   | X   | X   | X   | X   | X   |
| Check transmitter range of remote control.                                                                                                            | X   | X   | X   | X   | X   | X   | X   |
| Lubricate bonnet catch, hinges & all lock cylinders.                                                                                                  | X   | X   | X   | X   | X   | X   | X   |
| <b>Road test</b>                                                                                                                                      |     |     |     |     |     |     |     |
| Check braking, steering, engine response & transmission operation.<br>Check air conditioner performance.<br>Check for any outstanding safety recalls. | X   | X   | X   | X   | X   | X   | X   |

\*Items requiring additional servicing under some driving conditions.  
Refer to *Additional service requirements* further on in this booklet.

## **SERVICE CHARGES**

### **Lubricants and materials**

The owner is charged for all lubricants and materials used, plus labour, at the times recommended on the service coupons.

### **Brake fluid**

Must be changed every 27 months (charge added for brake fluid and labour).

### **Clutch fluid**

Must be changed every 27 months (charge added for clutch fluid and labour).

### **Engine coolant**

Must be changed every 63 months (charge added for engine coolant and labour).

### **Fault repairs**

The owner is charged for the repair or replacement of any part found faulty during a service check and not covered by Holden Voluntary Warranty.

Where any deficiencies are noted, such items should be reported to the owner/operator and the extra work authorised.

### **Additives not recommended**

The use of break-in oil, tune-up compounds, friction reducing compounds and other supplemental additives are not recommended; their use not only increases operating costs, but may indeed be harmful to your vehicle.

### **Pollen filter**

The pollen filter requires servicing as shown in the maintenance schedule and the additional services requirements sections (charge added for pollen filter and labour).

## **ADDITIONAL SERVICE REQUIREMENTS**

The Maintenance schedule previously in this booklet, shows the service items for normal driving requirements. Additional service items are required when driving under any of the operating conditions listed below. If you operate the vehicle under any of these conditions on a one off basis, for example a holiday trip, then an additional service should be performed for that time only. The additional service should include all additional service items that apply to the operating conditions.

### **Operating conditions**

**A**= Dust, dirt, loose road material.

**B**= Muddy and wet areas.

**C**= Cold weather (below 5 °C) and when most trips are less than 5 km.

**D**= Stop-start driving, excessive idling or low speed operation as experienced in inner city driving, for example taxi or door-to-door delivery.

**E**= Extended heavy load, high speed operation in outside temperatures above 35 °C.

### **Extra services required**

|                                                                                          |          |          |          |          |          |
|------------------------------------------------------------------------------------------|----------|----------|----------|----------|----------|
| Change automatic transmission fluid every 75,000 km.                                     |          |          |          |          | <b>E</b> |
| Inspect front and rear suspension and steering for leaks, wear or damage every 7,500 km. | <b>A</b> | <b>B</b> |          |          |          |
| Change engine oil every 7,500 km.                                                        | <b>A</b> |          | <b>C</b> | <b>D</b> | <b>E</b> |
| Replace engine oil filter every 7,500 km.                                                | <b>A</b> |          |          |          |          |
| Inspect air filter every 7,500 km.                                                       | <b>A</b> |          |          |          |          |
| Replace pollen filter every 15,000 km.                                                   | <b>A</b> |          |          |          |          |

## **ADDITIONAL SERVICE REQUIREMENTS cont.**

### **Additional service charges**

- Under vehicle/safety check..... add 0.4 hour
  - Inspect front disc pads for wear.
  - Inspect rear brake linings for wear.
  - Check all brake, fuel lines and hoses for condition, attachment and routing.
  - Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.
  - Inspect all constant velocity joints for damage or torn boots.
- If automatic transmission fluid is changed..... add 0.3 hour
- If engine oil is changed..... add 0.2 hour
- If engine oil and filter are changed ..... add 0.3 hour
- If air filter is changed ..... add 0.2 hour
- If tyres are rotated ..... add 0.2 hour
- If the pollen filter is changed..... add 0.2 hour

### **Further servicing required?**

As a guide, if you operate your vehicle continually for a period of one month or 1,000 km under any of the conditions listed, then additional services are recommended. If you consider that further servicing may be required, consult the service manager or your Holden Dealer.



***ADDITIONAL SERVICE REQUIREMENTS cont.***[illegible]

**ADDITIONAL SERVICE REQUIREMENTS cont.**

Date ..... km ..... Servicing Dealer .....

Engine oil and filter change: YES/NO

Additional items performed.....

.....

Date ..... km ..... Servicing Dealer .....

Engine oil and filter change: YES/NO

Additional items performed.....

.....

Date ..... km ..... Servicing Dealer .....

Engine oil and filter change: YES/NO

Additional items performed.....

.....

Date ..... km ..... Servicing Dealer .....

Engine oil and filter change: YES/NO

Additional items performed.....

.....

Date ..... km ..... Servicing Dealer .....

Engine oil and filter change: YES/NO

Additional items performed.....

.....

Date ..... km ..... Servicing Dealer .....

Engine oil and filter change: YES/NO

Additional items performed.....

.....

## NOTES

Dealer .....

Service Manager's signature .....

Date .....

Odometer reading .....

**FREE INSPECTION COUPON**

**3,000 km or 3 months**

This coupon should not be removed until the vehicle is presented for service.

Owner's name

Mr Mrs Miss Other .....

Address .....

Town .....

State .....Postcode .....

Registration .....Engine no. ....

ISOVIN .....Model.....

**Selling Dealer's stamp and signature**

.....

Date of acquisition .....

This vehicle has been thoroughly checked in accordance with the schedule on the reverse side of this coupon.

**Servicing Dealer's stamp and signature**

.....

Servicing Dealer .....

Town .....State .....

Owner's signature .....

.....

**This inspection is provided free of charge.**

## Under bonnet

- ☐ Check fluid levels: brake, power steering (hydraulic only), clutch and washer. Check coolant % with tester and check level (pressure test if level low).
- ☐ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.
- ☐ Check battery terminals for corrosion, (clean as required). Check battery terminals and hold down clamp for security.

## Under vehicle

- ☐ Check engine and transmission for leaks.
- ☐ Inspect tyres for irregular wear or damage. Check air pressures and for wheel damage.
- ☐ Check wheel nut torque.
- ☐ Check all brake, fuel lines and hoses for condition, attachment and routing.
- ☐ Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.
- ☐ Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.
- ☐ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ☐ Check park brake operation and adjust as required.
- ☐ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.

## Vehicle exterior

- ☐ Check operation of all exterior lights.
- ☐ Inspect wiper blades for wear or cracking.
- ☐ Check transmitter range of remote control.
- ☐ Lubricate bonnet catch, hinges and all lock cylinders.

## Road test

- ☐ Check braking, steering, engine response and transmission operation.
- ☐ Check air conditioner performance.
- ☐ Check for any outstanding safety recalls.

Servicing Dealer .....

Engine oil & filter changed: YES/NO EOLS reset (auto.): YES/NO

Date of service..... Odometer .....

Signed .....

HOLDEN DEALER STAMP



## **SERVICE COUPON 15,000 km or 9 months**

- 1.3 hours labour
- engine oil and filter change

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### **Under bonnet**

- ☐ Change engine oil and filter.
- ☐ Reset Engine Oil Life System (EOLS) (automatic transmission).
- ☐ Check fluid levels: brake, power steering (hydraulic only), clutch and washer. Check coolant % with tester and check level (pressure test if level low).
- ☐ Drive belts – inspect, adjust or replace if necessary.
- ☐ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.
- ☐ Check battery terminals for corrosion, (clean as required). Check battery terminals and hold down clamp for security.
- ☐ Inspect air filter element.

### **Under vehicle**

- ☐ Check engine and transmission for leaks.
- ☐ Inspect front pads for wear and discs for surface condition.
- ☐ Inspect rear brake linings and drums for surface condition.
- ☐ Inspect tyres for irregular wear or damage. Rotate wheels (if required). Check air pressures and for wheel damage.
- ☐ Check wheel nut torque.
- ☐ Check all brake, fuel lines and hoses for condition, attachment and routing.
- ☐ Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.
- ☐ Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.
- ☐ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ☐ Check park brake operation and adjust as required.
- ☐ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ☐ Check the expiry date of the tyre sealant canister\* and replace if required.

## Vehicle exterior

- ☐ Check operation of all exterior lights.
- ☐ Inspect wiper blades for wear or cracking.
- ☐ Check transmitter range of remote control.
- ☐ Lubricate bonnet catch, hinges and all lock cylinders.

## Road test

- ☐ Check braking, steering, engine response and transmission operation.
- ☐ Check air conditioner performance.
- ☐ Check for any outstanding safety recalls.

**Service validation  
30,000 kms or  
9 months  
Since last service  
(which ever  
occurs first)**

This vehicle has been thoroughly checked in accordance with the 30,000 km/9 month service.

Servicing Dealer.....

Engine oil & filter changed: YES/NO EOLS reset (auto.): YES/NO

Date of service..... Odometer.....

Signed .....

HOLDEN DEALER STAMP



## **SERVICE COUPON 30,000 km or 9 months**

from the last service (whichever occurs first)

- 1.7 hours labour
- engine oil and filter change
- replace spark plugs

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### **Under bonnet**

- ☐ Change engine oil and filter.
- ☐ Reset Engine Oil Life System (EOLS) (automatic transmission).
- ☐ Check fluid levels: brake, power steering (hydraulic only), clutch and washer. Check coolant % with tester and check level (pressure test if level low).
- ☐ Drive belts – inspect, adjust or replace if necessary.
- ☐ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.
- ☐ Check battery terminals for corrosion, (clean as required). Check battery terminals and hold down clamp for security.
- ☐ Inspect air filter element.
- ☐ Replace spark plugs.

### **Under vehicle**

- ☐ Check engine and transmission for leaks.
- ☐ Inspect front disc pads for wear and discs for surface condition.
- ☐ Inspect rear brake linings and drums for surface condition.
- ☐ Inspect tyres for irregular wear or damage. Rotate wheels (if required). Check air pressures and for wheel damage.
- ☐ Check wheel nut torque.
- ☐ Check all brake, fuel lines and hoses for condition, attachment and routing.
- ☐ Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.

### **Under vehicle continued**

- ☐ Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.
- ☐ Inspect all constant velocity joints for damage or torn boots.

### **Vehicle interior and boot**

- ☐ Check park brake operation and adjust as required.
- ☐ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ☐ Check the expiry date of the tyre sealant canister\* and replace if required.

### **Vehicle exterior**

- ☐ Check operation of all exterior lights.
- ☐ Inspect wiper blades for wear or cracking.
- ☐ Check transmitter range of remote control.
- ☐ Lubricate bonnet catch, hinges and all lock cylinders.

### **Road test**

- ☐ Check braking, steering, engine response and transmission operation.
- ☐ Check air conditioner performance.
- ☐ Check for any outstanding safety recalls.

This vehicle has been thoroughly checked in accordance with the 45,000 km/9 month service.

**Service validation**  
**45,000 kms or**  
**9 months**  
**Since last service**  
**(which ever**  
**occurs first)**

Servicing Dealer .....  
 Engine oil & filter changed: YES/NO EOLS reset (auto.): YES/NO  
 Brake fluid changed: YES/NO  
 Clutch fluid changed: YES/NO/ N/A  
 Date of service ..... Odometer .....  
 Signed .....

HOLDEN DEALER STAMP



## **SERVICE COUPON 45,000 km or 9 months**

from the last service (whichever occurs first)

- 1.7 hours labour
- engine oil and filter change
- replace air filter
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### **Under bonnet**

- ☐ Change engine oil and filter.
- ☐ Reset Engine Oil Life System (EOLS) (automatic transmission).
- ☐ Check fluid levels: brake, power steering (hydraulic only), clutch and washer. Check coolant % with tester and check level (pressure test if level low).
- ☐ Drive belts – inspect, adjust or replace if necessary.
- ☐ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.
- ☐ Check battery terminals for corrosion, (clean as required). Check battery terminals and hold down clamp for security.
- ☐ Replace air filter element.

### **Under vehicle**

- ☐ Check engine and transmission for leaks.
- ☐ Inspect front disc pads for wear and discs for surface condition.
- ☐ Inspect rear brake linings and drums for surface condition.
- ☐ Inspect tyres for irregular wear or damage. Rotate wheels (if required). Check air pressures and for wheel damage.
- ☐ Check wheel nut torque.
- ☐ Brake fluid: Change every 27 months (regardless of km).
- ☐ Clutch fluid: Change every 27 months (regardless of km).
- ☐ Check all brake, fuel lines and hoses for condition, attachment and routing.
- ☐ Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.

### **Under vehicle continued**

- ☐ Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.
- ☐ Inspect all constant velocity joints for damage or torn boots.

### **Vehicle interior and boot**

- ☐ Check park brake operation and adjust as required.
- ☐ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ☐ Inspect pollen filter.
- ☐ Check the expiry date of the tyre sealant canister\* and replace if required.

### **Vehicle exterior**

- ☐ Check operation of all exterior lights.
- ☐ Inspect wiper blades for wear or cracking.
- ☐ Check transmitter range of remote control.
- ☐ Lubricate bonnet catch, hinges and all lock cylinders.

### **Road test**

- ☐ Check braking, steering, engine response and transmission operation.
- ☐ Check air conditioner performance.
- ☐ Check for any outstanding safety recalls.

This vehicle has been thoroughly checked in accordance with the 60,000 km/9 month service.

**Service validation**  
**60,000 kms or**  
**9 months**  
**Since last service**  
**(which ever**  
**occurs first)**

Servicing Dealer .....  
 Engine oil & filter changed: YES/NO EOLS reset (auto.): YES/NO  
 Brake fluid changed: YES/NO  
 Clutch fluid changed: YES/NO/ N/A  
 Date of service ..... Odometer .....  
 Signed .....

HOLDEN DEALER STAMP



## **SERVICE COUPON 60,000 km or 9 months**

from the last service (whichever occurs first)

- 1.7 hours labour
- engine oil and filter change
- replace spark plugs
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### **Under bonnet**

- ☐ Change engine oil and filter.
- ☐ Reset Engine Oil Life System (EOLS) (automatic transmission).
- ☐ Check fluid levels: brake, power steering (hydraulic only), clutch and washer. Check coolant % with tester and check level (pressure test if level low).
- ☐ Drive belts – inspect, adjust or replace if necessary.
- ☐ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.
- ☐ Check battery terminals for corrosion, (clean as required). Check battery terminals and hold down clamp for security.
- ☐ Inspect air filter element.
- ☐ Replace spark plugs.

### **Under vehicle**

- ☐ Check engine and transmission for leaks.
- ☐ Inspect front disc pads for wear and discs for surface condition.
- ☐ Inspect rear brake linings and drums for surface condition.
- ☐ Inspect tyres for irregular wear or damage. Rotate wheels (if required). Check air pressures and for wheel damage.
- ☐ Check wheel nut torque.
- ☐ Brake fluid: Change every 27 months (regardless of km).
- ☐ Clutch fluid: Change every 27 months (regardless of km).
- ☐ Check all brake, fuel lines and hoses for condition, attachment and routing.
- ☐ Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.

### **Under vehicle continued**

- ☐ Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.
- ☐ Inspect all constant velocity joints for damage or torn boots.

### **Vehicle interior and boot**

- ☐ Check park brake operation and adjust as required.
- ☐ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ☐ Check the expiry date of the tyre sealant canister\* and replace if required.

### **Vehicle exterior**

- ☐ Check operation of all exterior lights.
- ☐ Inspect wiper blades for wear or cracking.
- ☐ Check transmitter range of remote control.
- ☐ Lubricate bonnet catch, hinges and all lock cylinders.

### **Road test**

- ☐ Check braking, steering, engine response and transmission operation.
- ☐ Check air conditioner performance.
- ☐ Check for any outstanding safety recalls.

This vehicle has been thoroughly checked in accordance with the 75,000 km/9 month service.

**Service validation**  
**75,000 kms or**  
**9 months**  
**Since last service**  
**(which ever**  
**occurs first)**

Servicing Dealer .....  
 Engine oil & filter changed: YES/NO EOLS reset (auto.): YES/NO  
 Brake fluid changed: YES/NO  
 Clutch fluid changed: YES/NO/ N/A  
 Date of service ..... Odometer .....  
 Signed .....

HOLDEN DEALER STAMP



## **SERVICE COUPON 75,000 km or 9 months**

from the last service (whichever occurs first)

- 1.3 hours labour
- engine oil and filter change
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### **Under bonnet**

- ☐ Change engine oil and filter.
- ☐ Reset Engine Oil Life System (EOLS) (automatic transmission).
- ☐ Check fluid levels: brake, power steering (hydraulic only), clutch and washer. Check coolant % with tester and check level (pressure test if level low).
- ☐ Drive belts – inspect, adjust or replace if necessary.
- ☐ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.
- ☐ Check battery terminals for corrosion, (clean as required). Check battery terminals and hold down clamp for security.
- ☐ Inspect air filter element.

### **Under vehicle**

- ☐ Check engine and transmission for leaks.
- ☐ Inspect front disc pads for wear and discs for surface condition.
- ☐ Inspect rear brake linings and drums for surface condition.
- ☐ Inspect tyres for irregular wear or damage. Rotate wheels (if required). Check air pressures and for wheel damage.
- ☐ Check wheel nut torque.
- ☐ Brake fluid: Change every 27 months (regardless of km).
- ☐ Clutch fluid: Change every 27 months (regardless of km).
- ☐ Check all brake, fuel lines and hoses for condition, attachment and routing.
- ☐ Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.

**Under vehicle continued**

- ☐ Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.
- ☐ Inspect all constant velocity joints for damage or torn boots.

**Vehicle interior and boot**

- ☐ Check park brake operation and adjust as required.
- ☐ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ☐ Check the expiry date of the tyre sealant canister\* and replace if required.

**Vehicle exterior**

- ☐ Check operation of all exterior lights.
- ☐ Inspect wiper blades for wear or cracking.
- ☐ Check transmitter range of remote control.
- ☐ Lubricate bonnet catch, hinges and all lock cylinders.

**Road test**

- ☐ Check braking, steering, engine response and transmission operation.
- ☐ Check air conditioner performance.
- ☐ Check for any outstanding safety recalls.

This vehicle has been thoroughly checked in accordance with the 90,000 km/9 month service.

**Service validation  
90,000 kms or  
9 months  
Since last service  
(which ever  
occurs first)**

Servicing Dealer .....  
 Engine oil & filter changed: YES/NO EOLS reset (auto.): YES/NO  
 Brake fluid changed: YES/NO  
 Clutch fluid changed: YES/NO/ N/A  
 Date of service ..... Odometer .....  
 Signed .....

HOLDEN DEALER STAMP



## **SERVICE COUPON 90,000 km or 9 months**

from the last service (whichever occurs first)

- 2.1 hours labour
- engine oil and filter change
- replace air filter
- replace spark plugs
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### **Under bonnet**

- ☐ Change engine oil and filter.
- ☐ Reset Engine Oil Life System (EOLS) (automatic transmission).
- ☐ Check fluid levels: brake, power steering (hydraulic only), clutch and washer. Check coolant % with tester and check level (pressure test if level low).
- ☐ Drive belts – inspect, adjust or replace if necessary.
- ☐ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.
- ☐ Check battery terminals for corrosion, (clean as required). Check battery terminals and hold down clamp for security.
- ☐ Replace spark plugs.
- ☐ Replace air filter element.

### **Under vehicle**

- ☐ Check engine and transmission for leaks.
- ☐ Inspect front disc pads for wear and discs for surface condition.
- ☐ Inspect rear brake linings and drums for surface condition.
- ☐ Inspect tyres for irregular wear or damage. Rotate wheels (if required). Check air pressures and for wheel damage.
- ☐ Check wheel nut torque.
- ☐ Brake fluid: Change every 27 months (regardless of km).
- ☐ Clutch fluid: Change every 27 months (regardless of km).
- ☐ Check all brake, fuel lines and hoses for condition, attachment and routing.

## Under vehicle continued

- ❑ Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation and adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Inspect pollen filter.
- ❑ Check the expiry date of the tyre sealant canister\* and replace if required.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges and all lock cylinders.

## Road test

- ❑ Check braking, steering, engine response and transmission operation.
- ❑ Check air conditioner performance.
- ❑ Check for any outstanding safety recalls.

This vehicle has been thoroughly checked in accordance with the 105,000 km/9 month service.

**Service validation  
105,000 kms or  
9 months  
Since last service  
(which ever  
occurs first)**

Servicing Dealer .....  
 Engine oil & filter changed: YES/NO EOLS reset (auto.): YES/NO  
 Brake fluid changed: YES/NO  
 Clutch fluid changed: YES/NO/ N/A  
 Date of service ..... Odometer .....  
 Signed .....

HOLDEN DEALER STAMP



## **SERVICE COUPON 105,000 km or 9 months**

from the last service (whichever occurs first)

- 1.3 hours labour
- engine oil and filter change
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid
- if engine coolant changed add 0.5 hour labour plus coolant

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### **Under bonnet**

- ☐ Change engine oil and filter.
- ☐ Reset Engine Oil Life System (EOLS) (automatic transmission).
- ☐ Check fluid levels: brake, power steering (hydraulic only), clutch and washer. Check coolant % with tester and check level (pressure test if level low).
- ☐ Drive belts – inspect, adjust or replace if necessary.
- ☐ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.
- ☐ Check battery terminals for corrosion, (clean as required). Check battery terminals and hold down clamp for security.
- ☐ Inspect air filter element.
- ☐ Coolant: Change every 63 months (regardless of km).

### **Under vehicle**

- ☐ Check engine and transmission for leaks.
- ☐ Inspect front disc pads for wear and discs for surface condition.
- ☐ Inspect rear brake linings and drums for surface condition.
- ☐ Inspect tyres for irregular wear or damage. Rotate wheels (if required). Check air pressures and for wheel damage.
- ☐ Check wheel nut torque.
- ☐ Brake fluid: Change every 27 months (regardless of km).
- ☐ Clutch fluid: Change every 27 months (regardless of km).
- ☐ Check all brake, fuel lines and hoses for condition, attachment and routing.
- ☐ Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.

### **Under vehicle continued**

- ☐ Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.
- ☐ Inspect all constant velocity joints for damage or torn boots.

### **Vehicle interior and boot**

- ☐ Check park brake operation and adjust as required.
- ☐ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ☐ Check the expiry date of the tyre sealant canister\* and replace if required.

### **Vehicle exterior**

- ☐ Check operation of all exterior lights.
- ☐ Inspect wiper blades for wear or cracking.
- ☐ Check transmitter range of remote control.
- ☐ Lubricate bonnet catch, hinges and all lock cylinders.

### **Road test**

- ☐ Check braking, steering, engine response and transmission operation.
- ☐ Check air conditioner performance.
- ☐ Check for any outstanding safety recalls.

**Service validation 120,000 kms or 9 months**  
**Since last service**  
 (which ever occurs first)

This vehicle has been thoroughly checked in accordance with the 120,000 km/9 month service.

Servicing Dealer .....  
 Engine oil & filter changed: YES/NO EOLS reset (auto.): YES/NO  
 Brake fluid changed: YES/NO  
 Clutch fluid changed: YES/NO/ N/A  
 Date of service ..... Odometer .....  
 Signed .....

HOLDEN DEALER STAMP



## **SERVICE COUPON 120,000 km or 9 months**

from the last service (whichever occurs first)

- 1.7 hours labour
- engine oil and filter change
- replace spark plugs
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid
- if engine coolant changed add 0.5 hour labour plus coolant

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### **Under bonnet**

- ☐ Change engine oil and filter.
- ☐ Reset Engine Oil Life System (EOLS) (automatic transmission).
- ☐ Check fluid levels: brake, power steering (hydraulic only), clutch and washer. Check coolant % with tester and check level (pressure test if level low).
- ☐ Drive belts – inspect, adjust or replace if necessary.
- ☐ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.
- ☐ Check battery terminals for corrosion, (clean as required). Check battery terminals and hold down clamp for security.
- ☐ Inspect air filter element.
- ☐ Replace spark plugs.
- ☐ Coolant: Change every 63 months (regardless of km).

### **Under vehicle**

- ☐ Check engine and transmission for leaks.
- ☐ Inspect front disc pads for wear and discs for surface condition.
- ☐ Inspect rear brake linings and drums for surface condition.
- ☐ Inspect tyres for irregular wear or damage. Rotate wheels (if required). Check air pressures and for wheel damage.
- ☐ Check wheel nut torque.
- ☐ Brake fluid: Change every 27 months (regardless of km).
- ☐ Clutch fluid: Change every 27 months (regardless of km).
- ☐ Check all brake, fuel lines and hoses for condition, attachment and routing.

### **Under vehicle continued**

- ☐ Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.
- ☐ Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.
- ☐ Inspect all constant velocity joints for damage or torn boots.

### **Vehicle interior and boot**

- ☐ Check park brake operation and adjust as required.
- ☐ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ☐ Check the expiry date of the tyre sealant canister\* and replace if required.

### **Vehicle exterior**

- ☐ Check operation of all exterior lights.
- ☐ Inspect wiper blades for wear or cracking.
- ☐ Check transmitter range of remote control.
- ☐ Lubricate bonnet catch, hinges and all lock cylinders.

### **Road test**

- ☐ Check braking, steering, engine response and transmission operation.
- ☐ Check air conditioner performance.
- ☐ Check for any outstanding safety recalls.

This vehicle has been thoroughly checked in accordance with the 135,000 km/9 month service.

**Service validation  
135,000 kms or  
9 months  
Since last service  
(which ever  
occurs first)**

Servicing Dealer .....  
 Engine oil & filter changed: YES/NO EOLS reset (auto.): YES/NO  
 Brake fluid changed: YES/NO  
 Clutch fluid changed: YES/NO/ N/A  
 Date of service ..... Odometer .....  
 Signed .....

HOLDEN DEALER STAMP



## **SERVICE COUPON 135,000 km or 9 months**

from the last service (whichever occurs first)

- 1.7 hours labour
- engine oil and filter change
- replace air filter
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid
- if engine coolant changed add 0.5 hour labour plus coolant

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### **Under bonnet**

- ☐ Change engine oil and filter.
- ☐ Reset Engine Oil Life System (EOLS) (automatic transmission).
- ☐ Check fluid levels: brake, power steering (hydraulic only), clutch and washer. Check coolant % with tester and check level (pressure test if level low).
- ☐ Drive belts – inspect, adjust or replace if necessary.
- ☐ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.
- ☐ Check battery terminals for corrosion, (clean as required). Check battery terminals and hold down clamp for security.
- ☐ Replace air filter element.
- ☐ Coolant: Change every 63 months (regardless of km).

### **Under vehicle**

- ☐ Check engine and transmission for leaks.
- ☐ Inspect front disc pads for wear and discs for surface condition.
- ☐ Inspect rear brake linings and drums for surface condition.
- ☐ Inspect tyres for irregular wear or damage. Rotate wheels (if required). Check air pressures and for wheel damage.
- ☐ Check wheel nut torque.
- ☐ Brake fluid: Change every 27 months (regardless of km).
- ☐ Clutch fluid: Change every 27 months (regardless of km).
- ☐ Check all brake, fuel lines and hoses for condition, attachment and routing.

## Under vehicle continued

- ☐ Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.
- ☐ Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.
- ☐ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ☐ Check park brake operation and adjust as required.
- ☐ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ☐ Inspect pollen filter.
- ☐ Check the expiry date of the tyre sealant canister\* and replace if required.

## Vehicle exterior

- ☐ Check operation of all exterior lights.
- ☐ Inspect wiper blades for wear or cracking.
- ☐ Check transmitter range of remote control.
- ☐ Lubricate bonnet catch, hinges and all lock cylinders.

## Road test

- ☐ Check braking, steering, engine response and transmission operation.
- ☐ Check air conditioner performance.
- ☐ Check for any outstanding safety recalls.

This vehicle has been thoroughly checked in accordance with the 150,000 km/9 month service.

**Service validation  
150,000 kms or  
9 months  
Since last service  
(which ever  
occurs first)**

Servicing Dealer .....

Engine oil & filter changed: YES/NO EOLS reset (auto.): YES/NO

Brake fluid changed: YES/NO

Clutch fluid changed: YES/NO/ N/A

Date of service..... Odometer .....

Signed .....

HOLDEN DEALER STAMP



## **SERVICE COUPON 150,000 km or 9 months**

from the last service (whichever occurs first)

- 2.0 hours labour (automatic transmission)
- 3.0 hours labour (manual transmission)
- engine oil and filter change
- automatic transmission fluid change
- manual transmission fluid change
- replace spark plugs
- check/adjust valve clearance (manual transmission)
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid
- if engine coolant changed add 0.5 hour labour plus coolant

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### **Under bonnet**

- ☐ Change engine oil and filter.
- ☐ Reset Engine Oil Life System (EOLS) (automatic transmission).
- ☐ Check fluid levels: brake, power steering (hydraulic only), clutch and washer. Check coolant % with tester and check level (pressure test if level low).
- ☐ Drive belts – inspect, adjust or replace if necessary.
- ☐ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.
- ☐ Check battery terminals for corrosion, (clean as required). Check battery terminals and hold down clamp for security.
- ☐ Inspect air filter element.
- ☐ Replace spark plugs.
- ☐ Check/adjust valve clearance (manual transmission).
- ☐ Coolant: Change every 63 months (regardless of km).

### **Under vehicle**

- ☐ Check engine and transmission for leaks.
- ☐ Change automatic transmission fluid.
- ☐ Change manual transmission fluid.
- ☐ Inspect front disc pads for wear and discs for surface condition.
- ☐ Inspect rear brake linings and drums for surface condition.

## Under vehicle continued

- ☐ Inspect tyres for irregular wear or damage. Rotate wheels (if required). Check air pressures and for wheel damage.
- ☐ Check wheel nut torque.
- ☐ Brake fluid: Change every 27 months (regardless of km).
- ☐ Clutch fluid: Change every 27 months (regardless of km).
- ☐ Check all brake, fuel lines and hoses for condition, attachment and routing.
- ☐ Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.
- ☐ Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.
- ☐ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ☐ Check park brake operation and adjust as required.
- ☐ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ☐ Check the expiry date of the tyre sealant canister\* and replace if required.

## Vehicle exterior

- ☐ Check operation of all exterior lights.
- ☐ Inspect wiper blades for wear or cracking.
- ☐ Check transmitter range of remote control.
- ☐ Lubricate bonnet catch, hinges and all lock cylinders.

## Road test

- ☐ Check braking, steering, engine response and transmission operation.
- ☐ Check air conditioner performance.
- ☐ Check for any outstanding safety recalls.

This vehicle has been thoroughly checked in accordance with the 165,000 km/9 month service.

**Service validation**  
**165,000 kms or**  
**9 months**  
**Since last service**  
**(which ever**  
**occurs first)**

Servicing Dealer .....  
 Engine oil & filter changed: YES/NO EOLS reset (auto.): YES/NO  
 Brake fluid changed: YES/NO  
 Clutch fluid changed: YES/NO/ N/A  
 Date of service ..... Odometer .....  
 Signed .....

HOLDEN DEALER STAMP



## **SERVICE COUPON 165,000 km or 9 months**

from the last service (whichever occurs first)

- 1.3 hours labour
- engine oil and filter change
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid
- if engine coolant changed add 0.5 hour labour plus coolant

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### **Under bonnet**

- ☐ Change engine oil and filter.
- ☐ Reset Engine Oil Life System (EOLS) (automatic transmission).
- ☐ Check fluid levels: brake, power steering (hydraulic only), clutch and washer. Check coolant % with tester and check level (pressure test if level low).
- ☐ Drive belts – inspect, adjust or replace if necessary.
- ☐ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.
- ☐ Check battery terminals for corrosion, (clean as required). Check battery terminals and hold down clamp for security.
- ☐ Inspect air filter element.
- ☐ Coolant: Change every 63 months (regardless of km).

### **Under vehicle**

- ☐ Check engine and transmission for leaks.
- ☐ Inspect front disc pads for wear and discs for surface condition.
- ☐ Inspect rear brake linings and drums for surface condition.
- ☐ Inspect tyres for irregular wear or damage. Rotate wheels (if required). Check air pressures and for wheel damage.
- ☐ Check wheel nut torque.
- ☐ Brake fluid: Change every 27 months (regardless of km).
- ☐ Clutch fluid: Change every 27 months (regardless of km).
- ☐ Check all brake, fuel lines and hoses for condition, attachment and routing.
- ☐ Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.

### **Under vehicle continued**

- ☐ Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.
- ☐ Inspect all constant velocity joints for damage or torn boots.

### **Vehicle interior and boot**

- ☐ Check park brake operation and adjust as required.
- ☐ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ☐ Check the expiry date of the tyre sealant canister\* and replace if required.

### **Vehicle exterior**

- ☐ Check operation of all exterior lights.
- ☐ Inspect wiper blades for wear or cracking.
- ☐ Check transmitter range of remote control.
- ☐ Lubricate bonnet catch, hinges and all lock cylinders.

### **Road test**

- ☐ Check braking, steering, engine response and transmission operation.
- ☐ Check air conditioner performance.
- ☐ Check for any outstanding safety recalls.

This vehicle has been thoroughly checked in accordance with the 180,000 km/9 month service.

**Service validation  
180,000 kms or  
9 months  
Since last service  
(which ever  
occurs first)**

Servicing Dealer .....  
Engine oil & filter changed: YES/NO EOLS reset (auto.): YES/NO  
Brake fluid changed: YES/NO  
Clutch fluid changed: YES/NO/ N/A  
Date of service ..... Odometer .....  
Signed .....

HOLDEN DEALER STAMP



## **SERVICE COUPON 180,000 km or 9 months**

from the last service (whichever occurs first)

- 2.1 hours labour
- engine oil and filter change
- replace air filter
- replace spark plugs
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid
- if engine coolant changed add 0.5 hour labour plus coolant

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### **Under bonnet**

- ☐ Change engine oil and filter.
- ☐ Reset Engine Oil Life System (EOLS) (automatic transmission).
- ☐ Check fluid levels: brake, power steering (hydraulic only), clutch and washer. Check coolant % with tester and check level (pressure test if level low).
- ☐ Drive belts – inspect, adjust or replace if necessary.
- ☐ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.
- ☐ Check battery terminals for corrosion, (clean as required). Check battery terminals and hold down clamp for security.
- ☐ Replace air filter.
- ☐ Replace spark plugs.
- ☐ Coolant: Change every 63 months (regardless of km).

### **Under vehicle**

- ☐ Check engine and transmission for leaks.
- ☐ Inspect front disc pads for wear and discs for surface condition.
- ☐ Inspect rear brake linings and drums for surface condition.
- ☐ Inspect tyres for irregular wear or damage. Rotate wheels (if required). Check air pressures and for wheel damage.
- ☐ Check wheel nut torque.
- ☐ Brake fluid: Change every 27 months (regardless of km).
- ☐ Clutch fluid: Change every 27 months (regardless of km).
- ☐ Check all brake, fuel lines and hoses for condition, attachment and routing.

## Under vehicle continued

- ❑ Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.
- ❑ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ❑ Check park brake operation and adjust as required.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Inspect pollen filter.
- ❑ Check the expiry date of the tyre sealant canister\* and replace if required.

## Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Inspect wiper blades for wear or cracking.
- ❑ Check transmitter range of remote control.
- ❑ Lubricate bonnet catch, hinges and all lock cylinders.

## Road test

- ❑ Check braking, steering, engine response and transmission operation.
- ❑ Check air conditioner performance.
- ❑ Check for any outstanding safety recalls.

**Service validation**  
**195,000 kms or**  
**9 months**  
**Since last service**  
**(which ever**  
**occurs first)**

This vehicle has been thoroughly checked in accordance with the 195,000 km/9 month service.  
 Servicing Dealer .....  
 Engine oil & filter changed: YES/NO EOLS reset (auto.): YES/NO .....  
 Brake fluid changed: YES/NO .....  
 Clutch fluid changed: YES/NO/ N/A .....  
 Date of service .....  
 Signed .....  
 Odometer .....

HOLDEN DEALER STAMP



## **SERVICE COUPON 195,000 km or 9 months**

from the last service (whichever occurs first)

- 1.3 hours labour
- engine oil and filter change
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid
- if engine coolant changed add 0.5 hour labour plus coolant

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### **Under bonnet**

- ☐ Change engine oil and filter.
- ☐ Reset Engine Oil Life System (EOLS) (automatic transmission).
- ☐ Check fluid levels: brake, power steering (hydraulic only), clutch and washer. Check coolant % with tester and check level (pressure test if level low).
- ☐ Drive belts – inspect, adjust or replace if necessary.
- ☐ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.
- ☐ Check battery terminals for corrosion, (clean as required). Check battery terminals and hold down clamp for security.
- ☐ Inspect air filter element.
- ☐ Coolant: Change every 63 months (regardless of km).

### **Under vehicle**

- ☐ Check engine and transmission for leaks.
- ☐ Inspect front disc pads for wear and discs for surface condition.
- ☐ Inspect rear brake linings and drums for surface condition.
- ☐ Inspect tyres for irregular wear or damage. Rotate wheels (if required). Check air pressures and for wheel damage.
- ☐ Check wheel nut torque.
- ☐ Brake fluid: Change every 27 months (regardless of km).
- ☐ Clutch fluid: Change every 27 months (regardless of km).
- ☐ Check all brake, fuel lines and hoses for condition, attachment and routing.
- ☐ Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.

### **Under vehicle continued**

- ☐ Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.
- ☐ Inspect all constant velocity joints for damage or torn boots.

### **Vehicle interior and boot**

- ☐ Check park brake operation and adjust as required.
- ☐ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ☐ Check the expiry date of the tyre sealant canister\* and replace if required.

### **Vehicle exterior**

- ☐ Check operation of all exterior lights.
- ☐ Inspect wiper blades for wear or cracking.
- ☐ Check transmitter range of remote control.
- ☐ Lubricate bonnet catch, hinges and all lock cylinders.

### **Road test**

- ☐ Check braking, steering, engine response and transmission operation.
- ☐ Check air conditioner performance.
- ☐ Check for any outstanding safety recalls.

This vehicle has been thoroughly checked in accordance with the 210,000 km/9 month service.

**Service validation  
210,000 kms or  
9 months  
Since last service  
(which ever  
occurs first)**

Servicing Dealer .....  
Engine oil & filter changed: YES/NO EOLS reset (auto.): YES/NO  
Brake fluid changed: YES/NO  
Clutch fluid changed: YES/NO/ N/A  
Date of service ..... Odometer .....  
Signed .....

HOLDEN DEALER STAMP



## **SERVICE COUPON 210,000 km or 9 months**

from the last service (whichever occurs first)

- 1.7 hours labour
- engine oil and filter change
- replace spark plugs
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.3 hour labour plus clutch fluid
- if engine coolant changed add 0.5 hour labour plus coolant

**Note** If the owner of this vehicle has changed since the last service, refer to the change forms at the front of this booklet.

### **Under bonnet**

- ☐ Change engine oil and filter.
- ☐ Reset Engine Oil Life System (EOLS) (automatic transmission).
- ☐ Check fluid levels: brake, power steering (hydraulic only), clutch and washer. Check coolant % with tester and check level (pressure test if level low).
- ☐ Drive belts – inspect, adjust or replace if necessary.
- ☐ Check for signs of deterioration and/or leaks from the engine, fluid reservoirs, air ducts, all hoses and clamps.
- ☐ Check battery terminals for corrosion, (clean as required). Check battery terminals and hold down clamp for security.
- ☐ Inspect air filter element.
- ☐ Replace spark plugs.
- ☐ Coolant: Change every 63 months (regardless of km).

### **Under vehicle**

- ☐ Check engine and transmission for leaks.
- ☐ Inspect front disc pads for wear and discs for surface condition.
- ☐ Inspect rear brake linings and drums for surface condition.
- ☐ Inspect tyres for irregular wear or damage. Rotate wheels (if required). Check air pressures and for wheel damage.
- ☐ Check wheel nut torque.
- ☐ Brake fluid: Change every 27 months (regardless of km).
- ☐ Clutch fluid: Change every 27 months (regardless of km).
- ☐ Check all brake, fuel lines and hoses for condition, attachment and routing.

## Under vehicle continued

- ☐ Inspect front and rear suspension and steering for damaged, loose or missing parts, wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment, routing and leaks. Check condition of all rubber boots and covers.
- ☐ Inspect exhaust and adjacent underbody for damaged, missing or misaligned parts, open seams, holes or loose connections. Run the vehicle and check for exhaust leaks.
- ☐ Inspect all constant velocity joints for damage or torn boots.

## Vehicle interior and boot

- ☐ Check park brake operation and adjust as required.
- ☐ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ☐ Check the expiry date of the tyre sealant canister\* and replace if required.

## Vehicle exterior

- ☐ Check operation of all exterior lights.
- ☐ Inspect wiper blades for wear or cracking.
- ☐ Check transmitter range of remote control.
- ☐ Lubricate bonnet catch, hinges and all lock cylinders.

## Road test

- ☐ Check braking, steering, engine response and transmission operation.
- ☐ Check air conditioner performance.
- ☐ Check for any outstanding safety recalls.